# **RDW**



# NEDERLAND (THE NETHERLANDS)



#### EEC TYPE-APPROVAL CERTIFICATE

#### Communication concerning:

- type-approval

0.1.

- extension of type-approval
- refusal of type-approval
- withdrawal of type-approval

of a type of a component (towbar) with regard to Directive (94/20/EEC)

## Type-approval number: e4\*94/20\*1754\*01

Reason for extension: Technical modification

Make (trade name of manufacturer)

#### **SECTION I**

: Bosal

0.2. Type and general commercial description(s) : 027463
0.3. Means of identification of type marked on the component : Type approval number component
0.3.1. Location of that marking : On type plate

0.5. Name and address of manufacturer : Bosal

postbus 168 4920 AD Made Nederland

0.7. In the case of components and separate technical: On type plate units, location and method of affixing of the EEC type approval mark

0.8. Address(es) of assembly plant(s) : See information document

(annex III, item 0.8)

#### Type-approval number: e4\*94/20\*1754\*01

### **SECTION II**

1. Additional information (where applicable) : See Appendix I

2. Technical service responsible for carrying out

the tests

RDW

Testbaan|Centrum

Talingweg 76 8218 NX Lelystad

3. Date of test report : 26-03-2003

04-11-2004

4. Number of test report : RDW-94/20-2894

RDW-94/20-4005

5. Remarks (if any) : See Appendix I

6. Place : Zoetermeer

7. Date : 04-11-2004

8. Signature

J.P.M. Laumen

- 9. The index to the information package lodged with the competent authority that has granted type-approval, which may be obtained on request.
  - Application form relating to annex III and annexed drawings
  - Drawings and instructions for attachment
  - Fitting instructions
  - Test report as mentioned in item 4.

#### Appendix I

# to EEC type-approval certificate No: e4\*94/20\*1754\*01 concerning the components type-approval of mechanical coupling devices with regard to Directive 94/20/EEC

1.	Additional information	
1.	Auditional information	

1.1. Class of the type of coupling A50-X

1.2. Categories or types of vehicles for which See fitting instructions the device is designed or restricted

1.3. Maximum D-value 11.30 kN

Maximum vertical load S at the coupling point: 1.4. 85 kg

1.5 Maximum load U at the fifth wheel ton

coupling point

1.6. Maximum V-value kN

1.7. Instructions for attachment of the coupling type to the vehicle and photographs or drawings of the fitting points at the vehicle give by the manufacturer; additional information if the use of the coupling type is restricted to special types of vehicles

: See fitting instructions

1.8 Information on the fitting of special towing brackets or mounting plates

: See fitting instructions

5. Remarks: The installation of the coupling device to the vehicle must be checked according to requirements of Annex VII, see Annex I, par.5.10.

